

PRODUCT GUIDE 2023

TURNTABLES • HIFI ELECTRONICS • LOUDSPEAKERS



About Pro-Ject 4–15

Product Overview 16–23



Turntables 24–75

HiFi Electronics 76–101





Speakers 102–107





3

Accessories 108–129

> LPs 130–131



1991 **THE START**

with the launch of the first Pro-Ject turntable, named Pro-Ject 1, **CEO Heinz Lichtenegger** founded the brand.

1993 PARTNERSHIP

after the collapse of the iron curtain, Heinz Lichtenegger formed a partnership with a former Tesla factory in Czech Republic that is, until today, producing for Pro-Ject Audio Systems.



2000 **NEW FACTORIES**

1997

DEBUT

with the idea of

turning a HiFi product

into a lifestyle product,

was born and was sold almost

1994

Pro-Ject 6

first High End

turntable.

1 Million times until today.

the Debut turntable

in order to produce the electronics, new partnerships were formed in Czech Republic and Slovakia.

1998 **BOX-DESIGN**

Pro-Ject started to produce their own HiFi Electronics.





2015 **ARTIST COLLECTION**

the turntable collection in cooperation with famous musicans started with Austrian artist Parov Stelar. Later: The Beatles, Rolling Stones, **Vienna Philharmonics** and now Metallica.

2007 **DIGITAL ENTRY**

Pro-Ject introduces first digital products: Pre Box, Amp Box, and DAC Box.





ANNIVERSARY Pro-Ject celebrates this year

with the Debut PRO.

2017 **HEADQUARTERS**

reference Pro-Ject shop.





CEO and Founder Heinz Lichteneager

2023 **PRO-JECT TODAY**

has more than 5.000 dealers in 80 countries, is world leader for HiFi turntables and Micro High End components, has won over 100 international Awards, among several EISA Awards and the Red Dot Design Award and has over 500 employees in four factories.

2021 **30th YEAR**

opening of the new headquarters in Lower Austria, including an office, a logistics center, administration, Research & Development and a



Music lives here!

Grand slam! On and off the court. Our headquarters is located 35 kilometers North of Vienna in the beautiful Weinviertel region...

CEO Heinz Lichtenegger









Live music and HiFi Stereo

Live musical events at our headquarters are always an impressive experience for those able to attend. We support local musicians and encourage people to listen to music live. There is no better reference than live music to evaluate a high-quality HiFi playback system.





٢

With the gaining popularity and interest, more and more international distributors began to make Pro-Ject turntables available in their countries. Today we ship into more than 80 countries world-wide and are happy to share some of our passion with every customer.

- P







Insightful interviews with people passionate about music and culture – with a pinch of HiFi.

"The process of putting on a record is beautiful and sensual."





Martin Kubik, first violinist at the Vienna Philharmonic Orchestra uses a CD Box RS2.



Lukas and Manuel Mraz about their passion for food and music and why they play records in their Michelin-awarded restaurant.





Florian "Doc" Kaps about the importance of analogue products.

Why True Balanced Connection for Phono?

All Pro-Ject turntables with outlets are balanced by nature. The industry standard is usually an unbalanced RCA connection as this connection type is cheaper and already widely adopted compared to a really balanced one.

True Balanced Connections can access details embedded in the valuable grooves of your records that you've never heard before.

Liberate your HiFi stereo system from unwanted noise and interference. Get closer to the music you love and take your musical experience to the next level.





The Solution

Balanced audio connections are standard among professional musicians, recording studios, and live concerts. It is essential to have a stable & interference-free connection as these signals, especially microphone signals, will be highly amplified. The same applies to the connection from your turntable to the phono preamplifier. The significant advantage of a balanced connection is its ability to remove picked up noise and interferences.

Present day problems

Nowadays, many electromagnetic fields interfere with turntables. The causes are wireless networks and numerous electronic devices in the modern home. The RCA cable between your turntable and your amplifier is prone to picking up noise on the way. This so-called "electrosmog" can interfere with the tiny phono signal and add noise to your music.

What do I need for a balanced connection?







- Interference-free signal
- Increased dynamics
- Lower noise level

True Balanced Ready

To use the **True Balanced Connection**, your turntable needs to be equipped with a Moving Coil (MC) cartridge.

True Balanced Ready turntables are capable of being wired for balanced signals, but are supplied as standard with a Moving Magnet (MM) cartridge.







To XLR or Mini XLR Balanced input

Turntables





Elemental Line

Elemental VT-E VT-E BT



30

Primary Line

Primary E Primary E Phono



E Line

E1 E1 Phono E1 BT





Juke Box Line

36

T Line

luke Box E1
luke Box E1 - Stereo Set
luke Box S2
luke Box S2 - Stereo Set

T1 T1 Phono SB T1 BT

48



Automat



50

The Classic

The Classic Evo



RPM Line

RPM 1 Carbon RPM 3 Carbon RPM 5 Carbon RPM 9 Carbon RPM 10 Carbon





X Line

X1 B X2 B 6 Perspex SB Х8 Xtension 9 Evolution Xtension 10 Evolution Xtension 12 Evolution 68



Signature Line

Signature 10 Signature 12

PRODUCT OVERVIEW



38



Debut Line

Debut PRO S Debut PRO Debut PRO White Debut Carbon EVO Colourful Audio System





Artist Collection

Metallica The Beatles George Harrison Ringo Starr **Rolling Stones** Parov Stelar Hard Rock Hans Theessink DelaDap

HiFi Electronics

78

E Line

Sources

BT Box E HD

DAC Box E

80



Phono Box MM Phono Box

<u>Phono</u> Optical Box E Phono Phono Box E Phono Box E BT5 Record Box E

Remote Control Control it

<u>Mobile</u> DAC Box E Mobile C Line

82

S Line

<u>Amplifier</u> Head Box S2 Head Box S2 Digital Pre Box S2 Analogue Amp Box S3 Stereo Box S3 BT MaiA S3

<u>Phono</u> Phono Box S2 Phono Box S2 Ultra Phono Box S3 B Tube Box S2 Vinyl NRS Box S3 Power Box S3 Phono

Sources Tuner Box S2 CD Box S3 DAC Box S2+ Pre Box S2 Digital BT Box S2 HD Stream Box S2 Ultra Stream Box S2

<u>Power</u> Accu Box S2

Remotes Remote Box S2 90

DS Line

<u>Amplifier</u> Head Box DS2 B Pre Box DS2 analogue Amp Box DS2 Stereo Box DS3 MaiA DS3

Sources CD Box DS3 CD Box DS2 T

<u>Phono</u> Phono Box DS3 B Phono Box DS2 Tube Box DS2

Power Power Box DS3 Sources Power Box DS2 Amp

96

RS Line

<u>Amplifier</u> Amp Box RS

Sources CD Box RS2 T Pre Box RS2 Digital DAC Box RS2

<u>Phono</u> Phono Box RS2 Phono Box RS

Power Power Box RS Amp Power Box RS2 Phono Power Box RS2 Sources Power Box RS Uni TT

Remote Control Control it RS

PRODUCT OVERVIEW

19

Speakers





E Line

Speaker Box 5 Speaker Box 10 Sub Box 50



110



Care

Cloth it

Clean it

Grease it

Lube it



111

Adjustments

Adapt it Adjust it Align it DS3 Align it PRO Level it Strobe it Mount it Measure it E Measure it DS Measure it S2 Q up VTA it

119

120



Dustcovers

Lifestyle

Cover it E Cover it RPM 1/3 Carbon Cover it RPM 5/9 Cover it 1 Cover it 2.1

Wallmount it Rack 5/4 Wallmount it

PRODUCT OVERVIEW

Accessories

114



Vinyl Cleaning

Brush it Spin Clean Sweep it E Sweep it S2 VC-S 7" Kit Vinyl Cleaner VC-E2 Vinyl Cleaner VC-S3 Wash it 2 Vinyl Clean 118



Headphones

Hear it One Hear it Two

122



Upgrades

Acrylic Platters Aluminium Sub-Platters Ground it Clamp it Slip Mats Record Pucks Damp it Signature Headshells High Power it

Accessories





ELEMENTAL LINE



Minimalism meets outstanding sound quality

With the Elemental Line we are aiming for turntables with the lowest possible material expenses without making compromises in sound quality.

Elemental

Cartridge Ortofon OM 5E Elliptical stylus

Tonearm 8,6", aluminium Saphire bearing

Chassis and Platter Output Veneered particle board Phono out Central mass point made from concrete

Colour Options

Matt white, grey, red: 279 €

Drive Principle Belt drive on platter

Included Items Felt mat, power supply, Pre mounted RCA cable RCA cable

Speed 33/45 RPM Manual change

Size and Weight 415 x 90 x 300 mm (WxHxD) 2.7 kg (net)





VT-E



Vertical turntable with easiest possible vertical set-up including wall-mount option!

Cartridge Tonearm Ortofon OM 5E 8,6", one-piece alu, Elliptical stylus saphire bearings **Chassis and Platter** Output

Veneered particle board Phono out

Colour Options

VT-E BT



Cartridge Ortofon OM 5 Elliptical stylus

Chassis and Platter Made from MDF/plywood Line or Phono

Colour Options

Drive Principle Belt drive on platter

Included Items Record clamp, felt mat, Size and Weight power supply, Connect it E

Speed 33/45 RPM Electronic change

430 x 345 x 245 mm (WxHxD) 2.8 kg (net)

Matt white, black, red: 399 €

Vertical BT turntable with easiest possible vertical set-up including wall-mount option!

Tonearm 8,6", one-piece alu, saphire bearings

Output Bluetooth **Drive Principle** Belt drive on platter

Included Items Record clamp, felt mat,
power supply,Size and Weight
415 x 345 x 245 mm ConnectitE

Speed 33/45 RPM Manual change

(WxHxD) 2.8 kg (net)



High-Gloss white, black, red: 549 €

PRIMARY LINE



Cartridge Ortofon OM Spherical stylus

Chassis and Platter Made of plywood

Colour Options



Perfect turntable for vinyl-beginners

The Primary Line offers excellent craftsmanship, high class components and wonderful sound. It is our traditional entry-level range and gives a qualitative high price-performance-ratio.

Tonearm 8,6", aluminium Saphire bearing

Phono out Pre-mounted RCA Drive Principle Belt-drive with synchronous motor

Included Items Dust cover, felt mat, power supply

Speed 33/45 RPM Manual change

Size and Weight 420 x 112 x 330 mm (WxHxD) 4.0 kg (net)

Matt white, black, red: 279 €

Tonearm 8,6", aluminium Saphire bearing **Drive Principle** Belt-drive with synchronous motor

Output Switchable Line/Phono Gold-plated contacts

Included Items Dust cover, felt mat, power supply, Connect it E

Speed 33/45 RPM Manual change

Size and Weight 420 x 112 x 330 mm (WxHxD) 4.0 kg (net)



Matt white, black, red: 329 €

E LINE

E1 Phono € 329,-

Output With switchable phono preamplifier



Special With BT transmitter for wireless streaming

Output With switchable phono preamplifier

Plug & Play Entry Level Turntable

Cartridge Ortofon OM 5E Elliptical stylus (MM)

Tonearm 8,6", one-piece aluminium, fast traction

1 m

Chassis and Platter Output Plywood chassis, Depends on model Anti-resonant ABS polymer main platter

Colour Options



32

E1 "standard" € 299,-

Output Phono out: Pre-mounted RCA cable

Drive Principle Belt drive on sub-platter aluminium pulley

Included Items Dust cover, felt mat, power supply, Connect it E

Speed 33/45 RPM electronic change

Size and Weight 420 x 112 x 330 mm (WxHxD) 3,5 kg (net)

White, Black, Walnut - starting at € 299,-

JUKE BOX LINE



Audiophile "All-in-one Plug & Play" turntable system

The Juke Box Line is the optimum solution with analogue and digital inputs, a power amplifier and true stereo sound built into the chassis of a great sounding turntable.



Juke Box E1



Chassis MDF and particle board High contrast display Potentiometer on front for controlling the unit

Colour Options

Juke Box E1 - Stereo Set





Colour Options







High contrast display Potentiometer on front for controlling the unit

Colour Options

A complete set including a turntable, speakers, and cables.

Juke Box S2	S
A turntable, phono	A
stage, Bluetooth recei-	n
ver, line pre-amplifier	b
and power amplifier	Ν
in one!	

Colour Options









taxes. Prices, technical data and realease date without engagement.





in one!

Juke Box S2



A turntable, phono stage, Bluetooth receiver, line pre-amplifier and power amplifier in one!

Tonearm 8,6", aluminium Saphire bearing

Outputs Speakers, Line out (fixed), Phono out

Inputs Bluetooth, 1x Line



Drive Principle Belt drive on platter Aluminium pulley

Included Items Dust Cover, Felt mat, Power supply, IR Remote, Connect it E (RCA cable),

Speed 33/45 RPM Manual change

Size and Weight 415 x 118 x 334 mm (WxHxD) 5 kg (net)

High-Gloss white, black, red: 649 €

A complete set including a turntable, speakers, and cables.

Speaker Box 5 Audiophile 2-way monitor speakers using bass reflex system. More infos on page 104. unwanted vibrations.

Damp it Damping feet that effectively prevent transmission of

Cable Set Speaker cable: Low distortion level, neutral sound



Glossy white, black, red: 999 €

A premium turntable, phono stage, Bluetooth receiver, line pre-amplifier and power amplifier in one!

Tonearm 8,6", aluminium Saphire bearing

Outputs Speakers, Line out (fixed), Phono out

Inputs Bluetooth, 1x Line **Drive Principle** Belt drive on platter Aluminium pulley

Included Items Dust Cover, Felt mat, Power supply, IR Remote, Connect it E (RCA cable),

Speed 33/45 RPM Manual change

Size and Weight 415 x 118 x 334 mm (WxHxD) 5 kg (net)

Eucalyptus or Walnut: 899 €

Speaker Box 5 S2 Audiophile 2-way monitor speakers using bass reflex system. More infos on page 105. unwanted vibrations.

Damp it Damping feet that effectively prevent transmission of

Cable Set Speaker cable: Low distortion level, neutral sound



Eucalyptus or Walnut: 1.399 €

T LINE

T1 "standard" € 369,-

Output With switchable phono preamplifier

T1 Phono SB € 449,-

۰.

Output With switchable phono preamplifier **Special** Electronic Speed Change for 33/45 RPM fil

fil



Cartridge Ortofon OM 5E Elliptical stylus (MM)

Chassis and Platter Plywood (2.5cm thick) Blasted-glass platter (8mm thick) Output Depands on model

8,6", one-piece alumi-

nium, fast traction

Tonearm

8

Colour Options

White, Black, Walnut 369 € - 499 €



Special With BT transmitter for wireless streaming

Output With switchable phono preamplifier



Drive Principle Belt drive on sub-platter aluminium pulley

Included Items Dust cover, felt mat, power supply, Connect it E Speed 33/45 RPM

Size and Weight 415 x 100 x 335 mm (WxHxD) 3,8 kg (net)

Turntables / T- Line

Debut PRO S

Our turntables demand conscious music listening. Debut PRO S takes this philosophy to the extreme. We finished all parts except for the polished spindle in matte black. The manual controls invite the listener to interact with the turntable: turn it on, place the record on the platter, move and lower the tonearm. The musical reward follows the tactile experience. No unnecessary switches, LEDs, or labeling distract from what is essential.

www.project-audio.com/debut-pro-s

Cartridge Pick it S2 C Black Edition **Tonearm** Aluminium. S-Shaped 10 inch. Tonearm with detachable headshell

Chassis and Platter Made of resonance

Made of resonanceOutputin-sensitive MDF,Phono outTPE aluminium platterGold plated sockets

Black Satin Finish 899€



Drive Principle Belt drive on aluminium sub-platter

Included Items Dust cover, felt mat, Record Puck E black, power supply, Connectit E **Speed** 33/45/78 RPM Electronic change

Size and Weight 462 x 113 x 335 mm

(W x H x D) 8 kg (net)



Debut PRO

After the Debut Carbon EVO revolutionized the Debut series in 2020, the Debut PRO raises the bar even higher. We designed not only a new turntable but also a completely new cartridge.

Our 30 years anniversary turntable: www.project-audio.com/debut-pro

dge PRO al stylus miko Rainier	Tonearm 8.6" carbon tonearm saphire bearings
is and Platter of resonance sitive MDF, uminium platter	Output Phono out Gold plated sockets

Cartri

Pick it

Elliptic

US: Su

Chass

Made

in-sen TPE al

Drive Principle Belt drive on sub-platter

Included Items Dust cover, felt mat, power supply, ConnectitE

Speed 33/45/78 RPM Electronic change

Size and Weight 415 x 95 x 330 mm (WxHxD) 5,6 kg (net)

Debut PRO WHITE

A limited version of Debut PRO completed in a satin white finish...

	the second se
Cartridge	Tonearm
2M White	8.6" aluminium
Elliptical stylus	tonearm
Chassis and Platter	Output
Made of resonance	Phono out
in-sensitive MDF,	Gold plated sock
TPE aluminium platter	

White Satin Finish 799 €

ets

-



Drive Principle Belt drive on sub-platter

Included Items Dust cover, felt mat, power supply, Connect it E

Speed 33/45/78 RPM Electronic change

Size and Weight 415 x 95 x 330 mm (WxHxD) 5,6 kg (net)



Debut Carbon EVO

Time for Evolution. We have taken our most popular turntable design and improved every aspect of it. The result is an incredibly refined product.

Our most popular turntable design: www.project-audio.com/debut-carbon-evo

Cartridge Ortofon 2M Red Elliptical stylus US: Sumiko Rainier

Chassis and Platter Made of resonance in-sensitive MDF, TPE damped steel

Output Phono out Gold plated sockets

saphire bearings

Tonearm

platter



8.6" carbon tonearm

Drive Principle Belt drive on sub-platter

Included Items Dust cover, felt mat, power supply, ConnectitE

Speed . 33/45/78 RPM Electronic change

Size and Weight 415 x 95 x 330 mm (WxHxD) 5,6 kg (net)

White, Black, Golden Yellow, Steel Blue, Fir Green: 599 €

DEBUT LINE









Colourful Audio System

This SET contains everything you need for a good stereo sound. All-In-One True Analog HiFi Stereo System

Satin Finish 👘 🛑 🛑 🌑 White, Black, Golden Yellow, Steel Blue, Fir Green

Wood Real-wood walnut

€ 1.799

Speaker Box 5 S2



Debut Carbon EVO









Connect it LS2



47

AUTOMAT



Handmade in Germany

The A1 is handmade in Germany by a traditional manufacturer with a wealth of experience in making automatic turntables. Our new A1 is your best companion to comfortably enjoy your favourite records.







Cartridge

Ortofon OM 10 Chassis and Platter Precision balanced aluminium platter. The chassis avoids hollow spaces wherever possible, with just enough space to precision fit all the inner workings of the A1.

Colour Options



48



Precise mechanics with automated start and stop: www.project-audio.com/a1

Tonearm

The A1 features an 8.3" ultra-light-mass aluminium tonearm. Together with the Ortofon OM10, which fits this design principle perfectly, we get extraordinary fast response and detail in terms of transients and it E (RCA cable) microdynamics.

Output Switchable Phono preamp

Drive Principle Belt drive on

Included Items Dust cover, felt mat, power supply, Connect Speed Electronic speed

selector for 33/45 RPM

Size and Weight 430 x 130 x 365 mm (WxHxD) 5,6 kg net

THE CLASSIC

Classic look combined with modern technology

The Classic was born in celebration of our 25th anniversary. It sports a timeless and elegant real-wood chassis, a newly developed Carbon/Aluminium tonearm and an aluminium sub-chassis that is dampened by high-tech TPE balls. Classic in looks with a few modern technologies under the hood.





Traditional sub-chassis turntable with 9" tonearm: www.project-audio.com/the-classic-evo

Cartridge Ortofon 2M Silver MM Stylus US version comes with SUMIKO cartridge

Chassis and PlatterHeatMetal/MDF sandwichHeatchassis floating on TPEHeatsuspension.HeatPrecision balancedHeatTPE-damped aluminimicHeatnium platter.Heat

Colour Options



50

Tonearm

9" carbon/aluminium, adjustable Azimuth and VTA, MM & MC capability, ultra low friction Zircon pin-point cardan bearings (top & side), base: Japanese ball bearing, integrated central vertical cable outlet for unhindered arm movement Output Phono Out

Drive Principle Belt drive on diamond cut precision alu subplatter

Included Items Dust cover, felt mat, power supply, Connect it E (RCA cable) Speed

Electronic speed selector for 33/45/78 RPM

Size and Weight 462 x 131x 351 mm (WxHxD) 10.5 kg (net)

Eucalyptus or Walnut 1.699 € incl. Ortofon 2M Silver

Prices (Suggested Retail Prices) are only for orientation and can differ depending on local taxes. Prices, technical data and realease date without engagement.

51

RPM LINE



RPM 3 Carbon



Chassis and Platter High-gloss painted MDF, inverted platter bearing for reduced rumble

Colour Options

RPM 5 Carbon



Cartridge Platter Ortofon 2M Bronze Acrylic Elliptical stylus (MM)

Chassis A low resonance MDF/ carbon chassis holds a inverted platter bearing weight with ceramic ball.

Colour Options

Less vibration through droplet-form

The RPM Line consists of our droplet-form turntables. This kind of form is known for less vibrations due to its build nature. The RPM Line also uses fully decoupled and separate motors for better sound.



Tonearm 8,6" S-shape made from carbon/alu

Output High-gloss painted MDF, Phono Out **Drive Principle** Precision belt drive decoupled motor

Included Items Felt mat, power supply, Connect it E (RCA cable)

Speed 33/45 RPM manual change

Size and Weight 380 x 110 x 350 mm $(W \times H \times D)$ 3.8 kg (net)

High-Gloss white, black, red: 549 € incl. 2M Red | n/c 499 €

Manual turntable with 10" S-shape carbon tonearm

Tonearm 10" S-shape made from carbon/alu

Output Phono Out **Drive Principle** Precision belt drive decoupled motor

Included Items Felt mat, power supply, Connect it E (RCA cable)

Speed 33/45 RPM manual change

Size and Weight 422 x 118 x 373 mm $(W \times H \times D)$ 5.5 kg (net)

High-Gloss white, black, red: 849 € incl. 2M-Silver | n/c 749 €

Manual turntable with 9" Evo tonearm

Tonearm 9" cc EVO Carbon MM & MC capability TPE damped counter-

Output Phono Out **Drive Principle** Precision belt drive decoupled motor

Included Items Felt mat, power supply Record clamp, ConnectitE (RCA cable)

Speed 33/45 RPM manual change

Size and Weight 430 x 150 x 323mm $(W \times H \times D)$ 8.0 kg (net)

High-Gloss white, black, red: 1.799 € incl. 2M-Bronze | n/c 1.599 €

Prices (Suggested Retail Prices) are only for orientation and can differ depending on local taxes. Prices, technical data and realease date without engagement.

Cartridge Ortofon Quintet Bronze Nude fine line stylus	Platter 7.2 kg aluminium Tonearm	Drive Principle Precision belt drive decoupled motor	Speed 33/45 RPM electronic change	
Chassis MDF with hard resin coated steel pellets - special complex heat treatment and a carbon surface coating. Holds a inverted platter be- aring with ceramic ball.	9" cc EVO Carbon MM & MC capability TPE damped counter- weight Output Phono Out	Included Items Power supply, Connect it 5P-CC (phono cable), Record puck	Size and Weight 440 x 180 x 325 mm (W x H x D) 16.5 kg (net)	
Colour Options	n/c: 2.699 € with Quint	tet Bronze: 2.999 €		

RPM 10 Carbon



Highend turntable with 10" Evo tonearm

Cartridge Platter Ortofon Cadenza Red 14.4 kg aluminium Nude fine line stylus on alu cantilever Tonearm 10" EVO Carbon Chassis MM & MC capability MDF with hard resin TPE damped countercoated steel pellets weight special complex heat treatment and a carbon **Output** surface coating. Holds Phono Out a inverted platter bearing with ceramic ball.

Drive Principle Precision belt drive decoupled motor

Included Items Ground it Carbon, record puck, power supply, Connect it CC (Model 5P-CC) 22.0 Gro 500 (W 2

Size and Weight Turntable: 480 x 210 x 330 mm (W x H x D) 22.0 kg (net) Ground it: 500 x 70 x 400 mm (W x H x D) 14,5 kg

electronic change

Speed 33/45 RPM

Colour Options

n/c: 4.499 € | with Cadenza Red 4.999 €

ted Retail Prices) are only for orientation and can differ depending on local taxes. Prices, technical data and realease date without engagement. 55

X - LINE

1

Cartridge	Platter	Output	Included Items
Ortofon Pick it S2 MM SUMIKO Ranier	1.5 kg heavy acryl Stainless steel-bearing	XLR / Phono out	Dust cover, felt mat, power supply,
Elliptical stylus (MM)	with soft brass bushing	Drive Principle Drive belt on sub-platter,	ConnectitE (RCA cab
Chassis	Tonearm	isolated motor for less	Speed
Massive and heavy	8,6" carbon/alu sand-	vibration and noise	33/45/78 RPM
MDF, painted with 8	wich tonearm, kardan		electronic switch
layers and hand-	ultra-low friction 4 pin	Feet	
polished finish	point precision bearing,	Height adjustable,	Size and Weight
	TPE damped counter- weight	black aluminium	415 x 125 x 335 mm (W x H x D), 5,9 kg (ne
Colour Options	High Gloss Whi	te, High Gloss Black or Wa	lnut
X1 B (Pick it S2 MM)			999
X1 B (Sumiko Ranier US	version)		899





Cartridge

Ortofon Quintet Red MC Stylus

Chassis

Massive and heavy MDF, painted with 8 layers and handpolished finish in, highgloss black

Platter

Tonearm

Output 2 kg heavy acryl platter Stainless steel-bearing XLR / Phono out with soft brass bushing Drive Principle

9" carbon/alu sandwich vibration and noise tonearm, kardan ultralow friction 4 pin point Feet precision bearing, TPE Height adjustable, damped counterweight black aluminium

Included Items Dust cover, felt mat, power supply, Connect it E (RCA cable)

Drive belt on sub-platter, isolated motor for less Speed 33/45/78 RPM electronic switch

> Size and Weight 460 x 150 x 340 mm (W x H x D), 9 kg (net)

> > 1.599€

1.299€

Satin White, Satin Black, High-Gloss Black, Walnut





X2 B



wwww.project-audio.com/x2-b

O O

H-11-

Q

ortofon

X8

Cartridge Ortofon Quintet Blue MC Cartridge

single aluminium block and finely balanced. Chassis The X8 inherited the massive MDF chassis and the top-of-the-line Pro-Ject 9cc EVO Pro-Ject 9cc Evo carbon tonearm from carbon tonearm its larger siblings.



Platter TPE damped, mass-

loaded platter pre-

Tonearm

cision lathed from a

X8 (Sumiko Moonstone US version) X8 (Ortofon Quintet Blue)



- Pro-Ject Evolution



Output 5P/Phono Out

Drive Principle Belt drive with AC motor with DC driven AC generator

Feet

Three height adjusta- Size and Weight ble damped aluminium 465x150x350 mm feet guarantee the perfect stand.

Included Items Dust cover, power supply, Connect it E (RCA cable)

Speed 33/45 RPM electronic switch

(WxHxD); 15 kg

1.999€ 2.299€

X - LINE

6 PerspeX SB

Acrylic Plinth

Cartridge	Platter	Output	Included Items
optional with	Acoustically inert	RCA/Phono Out	Dust cover, record
Quintet Blue	sandwich construction		clamp, power supply,
	of platter with combi-	Drive Principle	spirit level, Connect it E
	nation of MDF and vinyl	Belt drive with AC	(RCA cable)
Chassis	layer as mat,	motor with DC driven	
Acrylic Plinth, Sub-		AC generator	Speed
chassis made from	Tonearm		33/45 RPM
Corian with magnetic	tonearm 9 cc Evolution,	Feet	electronic switch
suspension.	bearings with ABEC 7	Height adjustable,	
	ballraces	black aluminium	Size and Weight
			460 x 183 x 365 mm
			(W x H x D), 9,3 kg (net)

2.199€ without cartridge, 2.399€ with Quintet Blue

1







Xtension 9 Evolution



Highend turntable with 9" Evo tonearm	
---------------------------------------	--

Cartridge

Chassis

Pick it DS2 MC

MDF filled with metal

granulate with low le-

vels of resonance and

high massaring with

ceramic ball.

Platter **Drive Principle** Precision balanced Precision belt drive sandwich-platter decoupled motor

Tonearm 9" cc EVO Carbon MM & MC capability Damped counterweight Output CC (Modell 5P-CC)

Included Items Heavy weight record clamp, dust cover, $(W \times H \times D)$ power supply, spirit 18 kg (net) level, gloves, Connect it

Speed

33/45/78 RPM

electronic change

Size and Weight 465 x 185 x 350 mm



5P/Phono Out

White, Black, Red, Olive, Mahagoni, Walnut, Palisander, Eucalyptus: 2.999€ n/c | incl. Pick it DS2: 3.299€

High Gloss Walnut Burl, Satin Walnut Burl: 3.999€ n/c | incl. Pick it DS2: 4.299€

Xtension 10 Evolution



Highend turntable with 10" Evo tonearm

Cartridge Platter Ortofon Cadenza Red 10,3 kg aluminium Nude fine line stylus on alu cantilever Tonearm

10" EVO Carbon Chassis MM & MC capability MDF with hard resin TPE damped countercoated steel pellets weight special complex heat treatment and a carbon Output surface coating. Holds 5P/Phono Out a inverted platter bearing with ceramic ball.

Highend turntable with 10" Evo tonearm

Drive Principle Precision belt drive decoupled motor

Included Items Heavy weight record clamp, dust cover, power supply, spirit level, gloves, Connectit CC (Modell 5P-CC)

Speed 33/45/78 RPM electronic change Size and Weight

480 x 235 x 400 mm $(W \times H \times D)$ 26 kg (net)

Colour Options

White, Black, Red, Olive, Mahagoni, Walnut, Palisander, Eucalyptus: 3.999€ n/c | incl. Cadenza Red: 4.999€

High Gloss Walnut Burl, Satin Walnut Burl: 4.999€ n/c | incl. Cadenza Red: 5.999€

Xtension 12 Evolution



Cartridge	Platter	Drive Principle	Speed
	14.4 kg aluminium	Precision belt drive	33/45/78 RPM
		decoupled motor	electronic change
Chassis	Tonearm		
MDF with hard resin	10" EVO Carbon	Included Items	Size and Weight
coated steel pellets -	MM & MC capability	Heavy weight record	550 x 550 x 560 mm
special complex heat	TPE damped counter-	clamp, dust cover,	(W x H x D)
treatment and a carbon	weight	power supply, spirit	33 kg (net)
surface coating. Holds		level, gloves, Connect it	
a inverted platter be-	Output	CC (Modell 5P-CC)	
aring with ceramic ball.	5P/Phono Out		
Colour Options 🌘 🌘			
Black, Olive, Mahagoni, W	alnut: 4.499 € n/c		



Our Signature and Xtension turntables are available in exclusive Walnut Burl finishes. They are produced in small numbers and on special request, so the availability is limited.

Our X-Line is handcrafted with attention to detail.

Playback Speed

Electronic speed control for 33/45/78 RPM

Speed Change

×



SIGNATURE LINE

Signature 10

An uncompromising high-end turntable combining mass-loading with magneticallyfloating turntable principles.

Highend turntable with single-pivot tonearm.

Platter	Output	Included Items
10.1 kg heavy acryl	5P/Phono Out	ConnectitCC
Stainless steel-bearing		(Modell 5P-CC)
with soft brass bushing	Drive Principle	Record puck, gloves,
	Motor control system	spirit level
Tonearm	for perfect speed	
Single-pivot tonearm	stability.	Speed
in high gloss metal		33/45 RPM
surface.	Feet	electronic switch
	Height adjustable,	
	black aluminium	Size and Weight
		475 x 195 x 354 mm
		$(W \times H \times D)$
		22,6 kg (net)
Piano White	Piano Black, Olive, Maha	aoni: 6.999 € n/c
		•
	Stainless steel-bearing with soft brass bushing Tonearm Single-pivot tonearm in high gloss metal surface.	10.1 kg heavy acryl Stainless steel-bearing with soft brass bushing5P/Phono OutTonearm Single-pivot tonearm in high gloss metal surface.5P/Phono OutFeet Height adjustable,Feet Height adjustable,







SIGNATURE LINE

An audiophile marvel, that represents our championship in precision engineering.

Cartridge not included (n/c)

high-gloss.

Platter

10.2 kg heavy acryl Stainless steel-bearing

Chassis Piano-lacquer chassis with magnetic decoupling or veneered with walnut burl satin or

Tonearm Single-pivot tonearm in high gloss metal surface

Colour Options



Signature 12

A flagship in every sense, it is a mustconsider product for any serious audiophile with a high budget.



Output 5P/Phono Out

with soft brass bushing Drive Principle Motor control system for perfect speed stability

> Feet Height adjustable, black aluminium

Included Items Connect it CC (Modell 5P-CC) Record puck, gloves, spirit level...

Speed 33/45 RPM electronic switch

Size and Weight 570 x 440 x 234 mm (W x H x D) 34,6 kg (net)

Piano Black, Olive, Mahagoni: 9.999 € n/c High Gloss Walnut Burl, Satin Walnut Burl: 10.999 € n/c


ARTIST COLLECTION

A



ARTIST COLLECTION



Metallica Turntable

When you rock vinyl on this deck – Nothing Else Matters. 1.499€





Essential III Sgt. Pepper's Drum





The Beatles 1964 Recordplayer



Ringo Starr Peace & Love Turntable





Rolling Stones Recordplayer



The Beatles Yellow Submarine



PS00 - Frida by Parov Stelar





Beatles Singles Turntable



George Harrison Recordplayer





PS01 - Wave by Parov Stelar



Deladap Turntable



2Xperience The Beatles White Album



2Xperience Sgt. Pepper



Hans Theessink Recordplayer



Essential III Demon by Parov Stelar



Hard Rock Cafe Turntable





 Connect your turntable wirelessly • Bluetooth 5.2 streaming with aptX Adaptive and HD support • 2 Inputs: 1 Phono and 1 Line Input • Suitable for MM cartridges Precise RIAA equalisation • Use analogue RCA & BT output simultaneously Low noise circuitry • Internal metal shielding • Gold-plated RCA connectors • Outboard power supply included • Black or White casing

 Amplification and RIAA equalisation for MM & MC • Design principle inspired by Dr. Sykora • Digitalisation of vinyl for recording direct to USB with suitable recording programs • Automatic recognition, no additional drivers needed • Runs on Windows®, Mac OS® & Linux operating systems • SMD circuitry with special low noise components • Internal metal shielding • Small size allows installation close to record player • Gold plated RCA connection sockets • Outboard power supply

REMOTE CONTROL

• Manage all components with a single remote • Pre-programmed - no setup necessary • Simple and easy to use • Widespread IR emission up to 135° • Rugged design • Dimension : 47x30x210 mm (WxHxD)

MOBILE

• Portable D/A converter • High resolution support up to 32bit/192kHz • USB-C input • Extreme compact form factor • No batteries needed • Solid metal casing Dimension: 28 x 14 x 69.2 mm (WxHxD) • Colour options: silver or black





Phono Box MM

PHONO

• Metal case shields the electronics from vibrational and electromagnetic interference • Special low-noise ICs used • Optimal channel separation through dual-mono circuitry • Gold plated RCA connection sockets • DC power supply (< 1 watt standby power) • Amplification and RIAA equalisation for MM cartridges • Small size allows installation close to record player • Dimensions: 107x30x75 mm (WxHxD) • Weight: 280g without power supply



Phono Box



• Preamplifier for MM or MC with switch on rear panel • Best buy classic • DC power supply (< 1 watt standby power) • Precise RIAA equalisation • Low noise ICs • Output stage with ultra-low impedance • Gold-plated RCA sockets • Small size for installation near recordplayer • Dimensions: 103x36x104 /115 mm with sockets (WxHxD) • Weight: 570 g • Faceplate in silver or black







Head Box S2







Head Box S2 Digital





Pre Box S2 Analogue

Amp Box S3









What is S-Line?

We designed a range of high-end electronic micro components, engineered and manufactured according to the same principles as our acclaimed turntables. The idea is to make the devices as small as possible, but still have breathtaking sound performance.



AMPLIFIER

 Audiophile headphone amplifier • Suitable for demanding headphones • 6.35mm and 3.5mm headphone output • Bypass RCA loop output for additional amplifier • Superior low distortion • Low noise components for ultimate sound performance • Small footprint • Both outputs usable simultaneously • Aluminium/metal sandwich casing protects against vibrations and electromagnetic interference • Available in silver or black

• Headphone amplifier and DAC with 32bit and DSD256 support • High end ESS Sabre ESS9038 DAC • Proprietary clock circuity design • Organic polymer capacitors and thin film miniMELF resistors • 32bit / 768kHz decoding • DSD64, DSD128 & DSD256 (DSD over PCM) • Up to 24bit/192kHz for optical & coax inputs • 5 selectable digital filter characteristics • 1 proprietary optimum transient digital filter • Headphone output on the front (6.3mm) • Synchronization of all internal oscillators • Jitter as low as 100 Femtoseconds! • Gold plated four layer PCB • Available in silver or black

• Stereo Line preamplifier • Advanced circuitry with premium components • Neutral sound with superior low noise floor • 3 Stereo Line inputs • 1 fixed line output • 1 pre output • Motorised volume control • SMD for short signal paths • Low output impedance for low loss with long cables • Gold-plated connections • Remote control for on/off, input select, volume • Trigger outputs for Amp Box S2 • Alu/Metal casing protects against vibration and interference • Weight: 405 g without power supply • Available in silver or black

• Micro audiophile stereo power amplifier • The new Amp Box S3 offers one stereo RCA input and delivers powerful and room-filling sound to every loudspeaker. The new PCB concept & sophisticated topology achieves less distortion and a better signal to noise ratio. We designed this amp to match the sound characteristics of a tube amplifier as close as possible.

Stereo Box S3 BT

 Suitable for demanding headphones • 6.35mm and 3.5mm headphone output • Bypass RCA loop output for additional amplifier • Superior low distortion • Low noise components for ultimate sound performance • Small footprint • Both outputs usable simultaneously • Aluminium/metal sandwich casing protects against vibrations and electromagnetic interference • Weight: 365g without power supply • Colour options: silver or black



MaiA S3



The MaiA (My Audio Integrated Amplifier) S3 is the all in one solution for your hifi system. Not only the circuit design was reworked, also the case has been significantly changed and the MaiA S3 uses our new S3 case. Due to the bigger size we were able to improve the circuit board layout in terms of electromagnetical interference. With its 8 inputs you are ready for any kind of source device.

• NEW Bluetooth 5.0 - aptX HD capable (24-bit, up to 48kHz) • 2 x 40 watts @ 4 ohms • Dual mono design principle • 8 inputs (5x analog, 3x digital & 1x wirless BT) • Cirrus Logic CS4344 24bit/192kHz Multi-bit Delta Sigma • S/PDIF inputs support up to 24bit and 192kHz • Phono MM, MI + high output MC input • Analogue volume control with motor driven potentiometer • 6,3mm jack headphone output • Variable output for subwoofer or second zone amp

• Audiophile performance • Dual mono configuration • Audiophile-grade

Precise RIAA equalisation
 Switchable Subsonic filter –12dB @ 20Hz

• Switchable input impedance/capacitance • 4 adjustable gain levels

amplification modules • Audiophile-grade polypropylene WIMA capacitors

• Outstanding sound quality • Weight: 570 g net • Colour options: silver or black



Phono Box S2







 Audiophile performance
 No Operational Amplifiers used
 Audiophile-grade polystyrene capacitors • Precise RIAA equalisation • Switchable Subsonic filter -18 dB @ 20Hz • Switchable input impedance/capacitance • 4 adjustable gain levels • Outstanding sound quality • Weight: 570 g net • Colour options: silver or black



179€

Phono Box S3 B







splendid isolation against interferences. • NEW 5-pin mini XLR balanced input • NEW balanced XLR outputs • NEW fully symmetrical & discrete gain stage • NEW easy settings adjustment on the faceplate • MM & MC capable • Dual mono design • Semi-passive RIAA equalization • Superior low noise / low distortion



 Suitable for MM and MC cartridges
 Precise RIAA equalisation in two parts, passive/active • Fully discrete circuit design without OpAmps • 2x ECC83 tubes (replaceable) • Front-sided Subsonic filter button • Front-sided Gain control • Ultra low noise circuitry with FET input stage • Dual mono circuitry for optimized channel separation • Polystyrene capacitors used where possible Gold-plated RCA in-and outputs • External power adaptor and multiple internal power supplies • Well-filtrated high-voltage anode power supply • Dimensions (with sockets & Tubes): 103x73x131 mm (WxHxD) • Weight: 410 g without power supply • Colour options: silver or black

Vinyl NRS Box S3

PHONO



• Audiophile performance • No Operational Amplifiers used • Audiophile-grade polystyrene capacitors • Precise RIAA equalisation • Switchable Subsonic filter -18 dB @ 20Hz • Switchable input impedance/capacitance • 4 adjustable gain levels • Outstanding sound quality • Weight: 570 g net • Colour options: silver or black

329€

Power Box S3 Phono



• Cleanest power for your phono setup! The power supply is a very important part of the audio path and significantly contributes to the sonic quality of an audio product. • Superlative audiophile power supply • No disturbing interferences through mains • 1 x 18V output for phono stages • 1x15Voutput forturntables • Low noise components • Full aluminium/metal casework silver or black



84

Our Phono Box S3 B comes in a complete new casework. Due to the bigger case, we were able to bring new features into our S3 phono preamplifier. The new steel & aluminium chassis with full aluminium buttons brings very good rigidity and

79€

Tuner Box S2



SOURCES

• Micro-sized FM-Tuner • 99 presets • Manual or automatic tuning • Adaptive noise reduction • High-contrast dot-matrix display • Display of frequency, preset number, centre of station, Stereo or Mono reception, signal strength • Trigger switching (on/off) • Full function IR remote control • Tuning range FM-band: 87,5 - 108MHz (50kHz steps) • Full aluminium/metal casework • Weight 315 g (without power supply) • Colour options: silver or black

The CD Box S3 is our first product of the new S3 line. In contrast to DVD or Blu-

ray Disc players, a pure CD player is frequently better in playback of stereo CDs.

The drive in the CD Box S3 enables 1:1 bit-accurate CD playback. The new DAC chip provides the best digital analog conversion with a bit depth & sampling rate

up to 32bit/384kHz. The slot in mechanism smoothly draws in the CD and after a

• 32bit/384kHz DAC for precise playback of Audio-CDs • RCA line level analog

• NEW 1,54" display with colour inversion function • Slot-in mechanism

High end ESS Sabre ESS9038 DAC
 Proprietary clock circuity design

optimum transient digital filter • Synchronization of all internal oscillators

Organic polymer capacitors and thin film miniMELF resistors • 32bit / 768kHz

PCM support • DSD64, DSD128 & DSD256(DSD over PCM) • Up to 24bit/192kHz

for optical & coax inputs • 5 selectable digital filter characteristics • 1 proprietary

Jitter as low as 100 Femtoseconds • Gold plated four layer PCB • Weight: 355g

without power supply • Full alu/metal sandwich casing • Colour options: silver or



few seconds it is ready to play.

449€

299€

black

output • Coaxial S/PDIF digital output

CD Box S3



DAC Box S2 +



Pre Box S2 Digital



• Dual mono construction • High end ESS Sabre ESS9038 dual DAC • Proprietary clock circuity design • Organic polymer capacitors and thin film miniMELF resistors • MQA hardware decoding • DSD64, DSD128, DSD256 & DSD512 (DoP, DSD512 native) • Up to 24bit/192kHz for optical & coax inputs • Headphone output on the front (6.3mm) • Synchronization of all internal oscillators • Jitter as low as 100 Femtoseconds • Gold plated four layer PCB • Weight: 366 g (without power supply) • Full alu/metal sandwich casing• Colour options: silver or black



Control it Pre Box S2 Digital



BT Box S2 HD



• Wireless music streaming with almost CD-quality • Bluetooth 3.0 • Supports aptX & SBC codecs • Easy to install and use • Fast auto pairing (3 to 5 seconds) • Up to 8 different Bluetooth sources are memorized • Works within a range of approximately 10 meters • RCA stereo analogue and optical Toslink output • Outboard power supply included • Antenna included • Dimensions (with sockets): 116x37x108 mm (WxHxD) • Weight: 320 g • Colour options: silver or black



Stream Box S2 Ultra



 High resolution network bridge • Audio optimized USB A output • Multi-room enabled • Dual USB A input for external storage • TIDAL supported • Spotify Connect • Network-enables any modern DAC with USB input • Internet radio • DLNA enabled • Bypasses all audio formats to the DAC • Cleans up the audio signal from a PC • Roon ready • Shairport • Bluetooth (for control) • Uses dedicated power supplies • HDMI video output • Controllable via smart devices and PC/Laptop • New control app • Ethernet and WiFi connectivity • Weight: 375 g (without power supply) • Colour options: silver or black

699€

Stream Box S2



 Compact multiroom streamer • 24/192 streaming client • Spotify Connect, TIDAL • TuneIn, iHeartRadio internet radios • UPnP, DLNA support • Multi-room • Stereo pairing • ESS9023 DAC • WAV, ALAC, FLAC, MP3, APE, AAC • Line Input • Fixed, variable analogue & optical ouptuts • Shairport • WiFi 802.11 b/g/n • Free control App "Pro-Ject Stream S2) (iOS/Android) • Full aluminium/metal casework • Weight 375 g (without power supply) • Colour options: silver or black







69 €

Accu Box S2

2 - -

Remote Box S2

2.

Superlative audiophile power transmission • Accu driven power supply
No disturbing interferences through mains • Perfect for all phono electronics
1 x 18V output • 1 x 5V USB A output • LED indication for charging and mains
Full aluminium/metal casework • Weight: 545 g, without power supply • Colour options: silver or black



REMOTE CONTROL

POWER

Controls all Box Design components • App control for enhanced comfort
Bluetooth range up to 10m (antenna included) • Remote function for a wide array of IR receivers • Free Box Control App available for Android and iOS
On/Off front-sided • Colour options: silver or black





Head Box DS2 B



• Enough power to drive demanding headphones • Dual mono design principle • Four gain settings to match any headphone • Three current settings to deliver best sonics • Single ended (6.3 mm) and balanced (4 Pin XLR) headphone output Both outputs usable simultaneously • Phase inverter built in at input stage to convert unbalanced signal to a balanced one for superior sound • Powerstage realized by two TPA6120A2 chips • BLUE ALPS potentiometer for best volume control • Weight: 1461 g (Alu) without power supply; 1940 g (Wood) without power supply • Wooden side pannels are optional available!



Pre Box DS2 analogue



• Analogue RCA inputs • Fixed line level output as well as variable output • Mono subwoofer RCA output • Trigger in/out • RCA Line Level solid state output • Ultra linear circuit • Coupling-capacitor free signal path • Ultra low noise floor • IR remote control supplied • Magnetic wooden side panels avaialable separately



Amp Box DS2







Stereo Box DS3



• Dual mono design principle • Built-in phono pre-amplifier with MM & MC capability • Other inputs: 3x analogue, 1x Bluetooth • 4th generation Bluetooth with aptX capability & antenna • Volume control with motor driven potentiometer • Headphone output with dedicated amplifier stage • Fixed & variable outputs for subwoofer or second zone amp • Trigger In and Output • IR remote & built-in App Remote Control via Bluetooth • Free Box Control App controls this device & other IR equipment • Magnetic wooden side panels avaialable separately





AMPLIFIER

• Superior Class D modules • Impressive signal spectrum and lower distortion • High efficiency from mains to audio power • Low heat emission • Stereo level input (RCA) • Loop output (RCA) • Isolated speaker outputs • Trigger input & loop out • Elegant aluminium - metal sandwich casing • 2x140/100 watts $4/8 \Omega$ Weight: 1670 g (Alu) without power supply; 2130 g (Wood) without power supply • Magnetic wooden side panels avaialable separately



The MaiA DS3 (My audio integrated Amlifier) is our new reworked all-in-one compact amplifier solution. It combines both, analogue and digital inputs to suit all different sources. With its 140 watts per channel at 4 ohms you can easily power your favourite speakers. MaiA DS3 is handmade in Europe and available in an either black or silver finish. Magnetic wooden side panels avaialable separately

• Stereo integrated amplifier with 9 inputs • Powerful 140 watts per channel at 4 ohms • PCM 1795DB 32bit/192kHz Delta-Sigma DAC • BT 5.0 receiver with aptX, aptX HD, A2DP profile • 9 different analog & digital inputs • Sub output & variable output • Phono input - MM & MC capable • Dual mono design • XMOS asynchronous USB 24bit/192kHz • DSD capability (DSD64, DSD128; DSD256) • Headphone output 2 x 430mW at 320hm (1%THD) • Trigger in- & output

SOURCES

• HiRes capable CD player and DAC • PCM up to 32/384 and DSD256 (DoP) - via USB input • Four digital inputs (2x optical, coaxial, USB B) • Two digital outputs (optical, coaxial) • Line Level output (RCA) • Excellent 4-layer suspended CD transport • Blue Tiger CD-80 servo board for 1:1 CD playback • Luxurious slot-in mechanism • DC power supply (<1watt standby power consumption) • High contrast dot-matrix display • Trigger in and output • Solid cabinet protects against vibration and interference • Magnetic wooden side panels avaiala-

• Three digital outputs (Optical, S/PDIF Co-axial and AES/EBU) • Excellent 4-layer suspended CD transport • "Blue tiger" servo board for 1:1 CD playback • Luxurious slot-in mechanism • DC power supply (<1 Watt standby power consumption) High contrast dot-matrix display • Trigger in and output • Massive 3 mm aluminium faceplate • Solid cabinet protects against vibration and interference Magnetic wooden side panels avaialable separately

Phono Box DS3 B







The Phono Box DS3 B employs a true fully balanced gain stage design. Connect your turntable either with the 5-pin mini XLR cable or standard XLR cables & profit of the balanced signal path. Symmetrical, or also called balanced, transmissions consist of a hot and a cold (also called + and -) signal. Both signal chains effectively carry the same musical information.

• balanced XLR in- & outputs • 5-pin mini XLR balanced input • fully symmetrical & discrete gain stage • fully passive & discrete RIAA equalisation • fully discrete audio circuitry - NO Op-amps! • MM & MC capable • Balanced & single ended in-& outpus • Dual mono design • Continously variable input impedance loading • Most precise MC cartridge matching • Superior low noise / low distortion • Trigger in- & output • Heavy aluminium casing protects against interference • Available in silver or black • Magnetic wooden side panels avaialable separately

599€

Power Box DS3 Sources

PHONO

Power Box DS2 Amp



• Linear Power Supply Upgrade for Pro-Ject DS2 Series Power Amplifiers • Replaces original "switching" power supplies • Significant sound improvement with better dynamic and bass response, improved soundstage • Big toroidal transformer with copper shielding • Massive 3 mm aluminium faceplate • Solid cabinet protects against vibration and interference • Very low output impedance • Filtration capability 40.000 uF capacitors low ESR types • Weight: 4700g (aluminium) • Magnetic wooden side panels avaialable separately



Phono Box DS2



• Suitable for MM and MC cartridges • Precise RIAA equalisation • Dual mono circuitry for optimized channel separation • Selectable input impedance on front • Selectable input capacitance on front • Low noise ICs • Gold-plated RCA in & outputs . Sandwich alu/metal casing protects from vibrations and electromagnetic interference • Weight: 1320 g (Alu); 1770 g (Wood) without power supply Magnetic wooden side panels avaialable separately



Tube Box DS2



• Suitable for MM and MC cartridges • Precise RIAA equalisation • Ultra low noise circuitry • Selection between 2 phono inputs & 2 line outputs • Dual mono circuitry for optimized channel separation • Selectable input impedance (for MC: fix or variable) • Selectable input capacitance (for MM) • Selectable subsonic filter · Gold-plated RCA in & outputs · Sandwich alu/metal casing protects from vibrations and electromagnetic interference • Dimensions (WxHxD): 206x91x227 mm (Alu); 240x93x227 mm (Wood) • Weight (without power supply): 1500 g (Alu) 1960 g (Wood) • Magnetic wooden side panels avaialable separately





• Universal linear power supply for up to 5 components & 1 turntable • Purest & cleanest power using non-switching power supply • Not suitable for integrated & power amplifiers, receivers etc • Soft start system avoids current inrush in primary winding • Audio type toroidal transformer • Main isolating transformer with copper foil shielding • Secondary voltage rectification with precise regulation • High filtration capacity (10.000 µF) • Low ESR capacitors • Low noise components with surge protection • Input voltage: AC 115/230V, 50/60Hz IEC C15 connector • Output voltage ripple: < 1mV • Magnetic wooden side panels avaialable

Magnetic Side Panels

Magnetic wooden side panels are now available for all DS2/DS3 products. The magnets inside the panel make the installation very easy & you can always change the style of your HiFi components.

Amp Box RS



• Fully balanced double mono design (Pulse Wave Modulation) • Highly efficient conversion from mains to output power (92%) • 2 ohms drive capability • Tube buffer stage with reference quality • SMD construction for shortest signal paths Line level preamp inputs (RCA & XLR) • Top-quality speaker terminals • Metal casing protects against vibration and interference • DC power supply (< 1 Watt standby power) • 2x180/110 watts $4/8 \Omega$ • Dimensions (with sockets): 206x72x220 mm (WxHxD) • Weight: 2120 g without power supply • Available in silver and black



CD Box RS2 T



New RS2 Components

The RS2 Line is our new ultimate highend series, taking our RS Line design approach to the next level.



• Ultimate CD Transport • Toploading CD drive • Magnetic clamp • Plays CD Audio, CD-R, CD-RW, Hybrid SACD • Blue Tiger CD-Pro 8 top loading module with suspension system and CD-84 servo board • I2S + Masterclock via HDMI connector • LCD screen displays time, tracks, text (if available) • Gravity design with central mass point • Supports: CD, CD-R, CD-RW (finalized) and Hybrid-SACD (44.1kHz/16bit CD layer only) • Digital outputs: AES3: 1 x balanced (AES/EBU) on XLR connector S/PDIF: 1 x optical (TOSlink®) 1 x coaxial (RCA socket) I2S + Master Clock: 1 x HDMI connector • Aluminium IR remote included • Available in a silver or black high-quality aluminium chassis • Dimensions W x H x D (D with sockets): 206 x 78 x 200 (210)mm • Weight: 3.000g without power supply • Available in silver and black



Pre Box RS2 Digital



• Dual Mono DACs: 2 x ESS9038Q2M 32-bit • PCM 32Bit/768kHz, DSD512 (over USB) • 7 digital inputs: i2S HDMI, AES/EBU, Toslink, S/PDIF coax, USB, Bluetooth • 2 analogue inputs: unbalanced RCA, balanced XLR • 7 digital + 2 analogue filters • Unbalance RCA, balanced XLR, Headphone outputs • Hardware MQA Decoder and Renderer • Advanced upsampling and re-clocking for MQA and PCM • Output stage switchable between tube and solid state • i²S + Masterclock connection over HDMI for use with CD Box RS2 T • IR remote in full aluminium chassis included • Available in silver and black



DAC Box RS2



• Dual Mono DACs: 2x ESS9038Q2M • High Quality optionally selectable upsampling of PCM and/or MQA content with propriatory filtering • Advanced re-clocking powered by new XMOS chip with Mulit-Core RISC architecture • 6 digital inputs: asynchronous USB, i²S HDMI, AES/EBU, Toslink, S/PDIF coax • Fully balanced double mono design • Output stage switchable between 6922 tube & solid state • Ultra-linear and ultra low noise • New high-quality display with responsive and fast UI design • High quality full Aluminium remote control included Available in silver and black



SOURCES



Phono Box RS2



• Fully balanced, fully discrete phono preamp of the highest class • MM & MC capable • Fully balanced, true dual mono design • Fully discrete hardware design - NO Op-amps! • Fully passive RIAA & DECCA equalisation • Balanced XLR & unbalanced RCA In & Outputs • Unique continously variable input impedance loading and channel balance control to match every cartridge to 100% (adjustment even while playing) • Superior low noise / low distortion • Metal casing protects against vibration and interference • Available in silver or black



Phono Box RS



• MM & MC capable • True dual mono design • Balanced XLR & unbalanced RCA In & Outputs • Fully passive RIAA & DECCA equalisation • Unique continously variable input impedance loading, matches every cartridge (adjustment even while playing) • RCA & XLR In & Out • Superior low noise / low distortion • Classy & elegant dip switches • DC power supply (< 1 watt standby power) • Metal casing protects against vibration and interference • Dimensions (with sockets): 206x72x210 mm (WxHxD) • Weight: 2000 g without power supply Available in silver or black



Power Box RS Amp



• Suitable for Pro-Ject Audio Systems power amplifiers • Replaces original "switching" power supplies • Almost double amplifier power output combined with Amp Box RS, Amp Box DS & Stereo Box RS (2x 200/120 watts 4/8 ohms) • Significant sound improvement with better dynamic and bass response, improved soundstage • Compatible with Amp Box RS, Amp Box RS Mono, Stereo Box RS but also with Amp Box DS or Amp Box DS Mono • Big toroidal transformer with copper shielding • Very low output impedance • Filtration capability 40.000 uF capacitors low ESR types • Dimensions: 201x72x195 mm (WxHxD) • Weight: 4800 g • Available in silver or black



Power Box RS2 Phono



• All in one power supply for your phono setup • Powers any Pro-Ject 15V DC turntable • Powers any Pro-Ject phono stage • Cleanest power using nonswitching power supply • Soft start system avoids current inrush • Audio type toroidal transformer • Main isolating transformer with copper foil shielding • Secondary voltage rectification with precise regulation • High filtration capacity (10.000 µF) • Low ESR capacitors • Low noise components with surge protection Available in silver or black





POWER

Power Box RS2 Sources

• Purest & cleanest power using non-switching power supply • Soft start system avoids current inrush in primary winding • Audio type toroidal transformer • Main isolating transformer with copper foil shielding • Secondary voltage rectification with precise regulation • High filtration capacity (10.000 µF for each output) • Low ESR capacitors • Low noise components with surge protection • Available in silver or black



Power Box RS Uni TT



Control it RS



• Specially developed for turntables with heavy platters (RPM, Xtension & Signature Line) • Purest & cleanest power using non-switching power supply • Soft start system avoids current inrush in primary winding • Audio type toroidal transformer • Main isolating transformer with copper foil shielding • Secondary voltage rectification with precise regulation • High filtration capacity (10.000 µF) • Low ESR capacitors • Low noise components with surge protection • Available in silver or black



REMOTE CONTROL

POWER

• Pre-programmed system remote • Control several Box Design components with a single remote • Replaces standard Box Design IR remotes • Compatible with RS products • Batteries included • Full aluminium housing & buttons

199€



0

0

۲

C





Speaker Box 5 S2



S2 - LINE

Speaker Box 5 S2

Speaker Box 5

• Audiophile bass-reflex design • Recommended amplifier power 10 to 150 watts • Magnetically shielded • Front cover with magnetic attachment • Frequency response 55Hz - 20kHz • Gold-plated speaker terminal (single-wired) • Simple Wall-mount included • Speaker-Box Wall Bracket available as an option • Dimensions: 160x255x210 mm (WxHxD) • Weight: 4.2 kg • Colour options: High gloss white, black, red and walnut







Speaker Box 10 S2





Speaker Box 10



• Audiophile 2-way design • Rear-ported bass-reflex cabinet • Recommended amplifier power 10 to 150 watts • 1" Silk dome tweeter • 2 x 4.5" paper cone midrange/woofers • Magnetic front grilles • Frequency range 50Hz - 20kHz • Single-wired speaker terminal • Comes with adjustable spikes

- Dimenson:140x920x190 mm (WxHxD) Weight: 11.7 kg, net each
- Colour options: High gloss white, black and red

599€



Sub Box 50



• Audiophile subwoofer • Full sound for any room • Compact size • Perfect companion for Speaker Box 5 and 10 • Low and high level input • Three amplifier modes • Down-firing bass driver • Metal back plate • Ultra stiff non resonating MDF cabinet Dimensions: 205x280x205 mm (WxHxD) • Weight: 6.0 kg • Colour options: High gloss white, black and red





• Audiophile bass-reflex design • Sophisticated internal bracing • Ultra stiff non resonating MDF cabinet • Audiophile direct-wired crossover - no PCB • Lead free solder • Ecofriendly glue from Kleiberit • Acoustically transparent front cover with magnetic attachment • Gold-plated speaker terminal (single-wired) • Handmade in Europe • Dimensions: 160x271x215 mm (WxHxD) • Weight: 4.9 kg Colour options: Satin White, Satin Black, Walnut, Eucalyptus, Satin Fir Green, Satin Steel Blue, Satin Golden Yellow



• Audiophile 2.5-way design • Rear-ported bass-reflex cabinet • Sophisticated internal bracing • Ultra stiff non resonating MDF cabinet • Audiophile direct-wired crossover - no PCB • Lead free solder • Ecofriendly glue from Kleiberit • Acoustically transparent front cover with magnetic attachment • Gold-plated speaker terminal (single-wired) • Handmade in Europe • Dimensions: 140x898x195 mm (WxHxD) • Weight: 12.7 kg, net each • Colour options: High gloss black and white and real wood finishes: walnut, eucalyptus

Speaker Box 5 DS2



Audiophile bass-reflex design • Sophisticated internal bracing • Ultra stiff non resonating MDF cabinet • Audiophile direct-wired crossover - no PCB • Lead free solder • Ecofriendly glue from Kleiberit • Acoustically transparent front cover with magnetic attachment • Gold-plated speaker terminal (single-wired)
• Handmade in Europe • Dimensions: 160x271x215 mm (WxHxD) • Weight: 5.0 kg • Colour options: High gloss black and white and real wood finishes: walnut, eucalyptus



Speaker Box 10 DS2



Audiophile 2-way design • Rear-ported bass-reflex cabinet • Sophisticated internal bracing • Ultra stiff non resonating MDF cabinet • Audiophile direct-wired crossover - no PCB • Lead free solder • Ecofriendly glue from Kleiberit
Acoustically transparent front cover with magnetic attachment • Gold-plated speaker terminal (single-wired) • Handmade in Europe • Dimensions: 160x898x195 mm (WxHxD) • Weight: 12.8 kg, net each • Colour options: High gloss black and white and real wood finishes: walnut, eucalyptus



Speaker Box 15 DS2



• Audiophile 2.5-way design • Rear port bass reflex cabinet • Sophisticated internal bracing • Ultra stiff non resonating MDF cabinet • Gravity mass-point by sand filled cabinet • Audiophile direct-wired crossover - no PCB • Lead free solder Ecofriendly glue from Kleiberit • Acoustically transparent front cover with magnetic attachment (front and back) • Gold-plated speaker terminal (single-wired) • Height-adjustible spike feet with supports • Handmade in Europe • Dimensions: 160x978x260 mm (WxHxD) • Weight: 20.6 kg, per piece • Colour options: High gloss black and white and real wood finishes: walnut, eucalyptus









ACCESSORIES

CARE

Cloth it



Clean it



Grease it



Lube it



The perfect cleaning cleaning tool to polish your turntable and HiFi electronics. Made of microfibre material, purpose selected for the correct and non-abrasive cleaning of the satin and high-gloss finishes of our turntables.



• Smooth cleaner for diamant stylus • Conductive carbon fibers • Eliminates static charges • Removes finest dust particles



• To be used with inverted bearings • Helps a smooth movement • Pre-filled syringe • Easy handling

17,90€



• High-tech lubricant for constant velocity

22,90€



Adapt it







Adjust it



29€

Align it DS3

Align it PRO



• Suitable for all Pro-Ject turntables • All adjustments on one tool: Overhang, azimuth and tangentiality • 3 different geometries: Baerwald, Löfgren B, Stevenson • Alignment curves for 8,6", 9", 10" and 12" tonearm • Detailed alignment instructions and guidance on how to choose the geometry that suits your listening habits most!

79€



• Suitable for all Pro-Ject turntables • High-precision alignment setup • Super fast workflow • All adjustments on one tool: Overhang, azimuth and tangentiality • Baerwald geometry • Alignment for 8,6", 9", 10" and 12" tonearms • Detailed alignment instructions and tonearm geometry explanation included

149€





• Adaptor for use with 7-inch single records • Locates record centrally on turntable • No plastic - precision CNC-machined • Non-magnetic aluminium • Suitable for all brands and types of record players • Available in silver or black

• Suitable for all Pro-Ject tonearms • Allows fine adjustment of bearings, if misadjusted • Caution: for qualified personnel only • Includes 2 inserts for different bearings • Full metal (aluminium & brass)





ADJUSTMENTS

Level it

Strobe it

Mount it

Measure it E



0

11

• Anti-magnetic precision screws • Stable installment of a cartridge • Made of stainless steel • Perfectly stable mounting of a cardridge • Three different sizes Including allen key



• Spirit level for optimum positioning of a turntable

34,90€

29€

• Control of turntable speed

• 4 digit LCD display with backlight • 4 weighing modes • Wide capacity 0 - 5g Calibration weight
 Precision data readouts with low variance
 Auto calibration function • Auto power off after 30 seconds • Low power consumption • Button cell batteries included





Measure it DS



Qup

VTA it



no additional tools necessary

59€

109€

49,90€

With the Pro-Ject VTA it, the vertical tracking angle of the tonearm can be adjusted. You can then use upgrade platters, mats and cartridges. VTA it is compatible with Debut I-III, Debut Carbon, Debut Carbon EVO, Essential I-III (only in the standard configurations). A Philips # 1 screwdriver & 5.5 mm nut driver wrench are required for installation.

19,90€



Measure it S2

• Electronic stylus balance • 4 digit LCD-Display with backlight • Capacity 0 – 5g • Variance ±0,001g • Auto calibration function • Auto off after 120 seconds • Replacement batteries supplied



A new tracking force scale. Coming Soon!



• Automatic tonearm lifter for manual turntables • Lifts tonearm, when it moves to the end of a record • Extends stylus life • Suits nearly all tonearms and manual turntables • Includes three stackable platforms for turntables with thick platters • Adjustable trigger sensitivity • No AC or battery power needed • Easy to mount,

Brush it



Carbon-fibre brush for record cleaning



Spin-Clean



• Record Washer System • Clean records sound better and help to protect the stylus from dust • Spin Clean is suitable for all kinds of records: LP's, 45's, 78's

Spin Clean Record Washer System MKII: Washer basin and lid Washer fluid 4oz One pair brushes MKII One pair rollers MKII Two washable drying cloths 99€

Spin Clean Record Washer System MKII Package LE: Translucent washer basin and lid Washer fluid 4oz Washer fluid 32oz Two pair brushes MKII One pair rollers MKII Seven washable drying cloths 199€

VC-E2

VC-S3

VC-S 7" Kit



119€

• Improved cabinet design • magnetic clamp for guicker cleaning • improved vacuum steam outlet • self-adhesive arm strip for better cleaning • 5 mm aluminium composite panels • Superfast & superstrong cleaning • Removes cleaning fluid (Wash it) residue free • 0,5l tank for vacuumed cleaning liquid • Completely dry record within 2 rotations • Eco friendly, non-alcoholic, premixed new cleaning fluid Wash it 2 • Removes static load of vinyl records • Clamp seales record label from cleaning fluid

450€

Sweep it E



• Record broom • Gently cleans your vinyl while playing • Heavy weight stand for secure standing • Uni-pivot design • Brush made of natural hair





end build-quality

799€

Sweep it S2



• Premium Record broom • Gently cleans your vinyl while playing • Heavy weight stand for secure standing • Neodymium magnet stabilization • Uni-pivot design • Brush made of natural hair • Height adjustable

129€

• Optimized cleaning efficiency for 7" records • 2 different versions suitable for alu & synthetic flange assembly versions of VC • Vacuum arm for 7" records including short adhesive velvet strips • Clamp for 7" records (standard clamp will not fit) • Wash it vinyl cleaning concentrate (100ml bottle)

• Improved cabinet design • magnetic clamp for quick cleaning • silent mode operation • motor speed regulation • 1300W vacuum with power regulation • self-adhesive arm strip for better cleaning • 5 mm aluminium composite panels • Superfast & superstrong cleaning • Superior motor for long lifetime • Big 2,5I tank for vacuumed cleaning liquid • Completely dry record within 2 rotations • Removes static load of vinyl records • Removes cleaning fluid (Wash it) residue free • Eco friendly, non-alcoholic, premixed new cleaning fluid Wash it 2 • High-

Wash it 2



• Ready to use • Wash it cleans vinyl records & shellacs • Wash it contains only high-purity components • Eco-friendly - Non-toxic - Non-flammable • Dissolves a wide range of impurities including fat/grease • For very dirty records repeat the cleaning process • Evaporates quickly and leaves zero residues • Optimum application temperature 20 - 40 degrees • Optimum storage temperature 10 -25 degrees

250 ml 7,90 € 500 ml 10,90 € 1000 ml 15,90 €

Vinyl Clean



• Dry-cleaning for record and stylus • Perfectly cleans in-depth, removes dust

12,90€



and debris from record grooves and stylus.

Before Cleaning

-



Hear it One



• Smart, audiophile & comfortable • Classic design • Adjustable leather-coated headband • Soft leather ear cushions (memory foam) • Textile coated cable made from oxygen-free copper (HP-OFC) • Gold plated 3.5mm jack plug • High gloss & metal finish

99€

Dustcovers



Model	
Cover it E	
Cover it RPM 1/3	
Cover it RPM 5/9	
Cover it 1	
Cover it 2.1	

Hear it Two

• Super loud – super light – super cool (107 dB) • Lightweight design (77 g) • adjustable ear-cushion position • flat transport possible • high wear comfort • 3.5 mm jack plug • 3 colour options: red, white, black







• Clear acrylic dustcover for turntables:

Dimensions	Price
471 x 103 x 331 mm	99€
436 x 133 x 386 mm	99€
498 x 179 x 348 mm	169€
525 x 290 x 425 mm	279€
460 x 250 x 365 mm	279€



Wallmount it Rack 5/4



Wall mount equipment rack

Size 530 × 1000 × 406 mm

Weight 12.6 kg

Shelf Surface 498 × 355 mm

Maximum height between shelves 167 mm

Colour Options

Wallmount it

Model Wallmount it 1 Wallmount it 2 Wallmount it 3 Wallmount it 5



Wallmount it 1

Space between wall and shelf for cables 50 mm

Maximum weight load per shelf 50 kg



• Resonance-free wall mount for turntables & Hifi • WMI wall mounts use rigid steel frame construction • Height-adjustable spikes to level the board

Dimensions	Colors	Max Load	Price
460 x 355mm	black	30 kg	229€
460 x 355mm	black & white	30kg	249€
520 x 450mm	black	30 kg	449€
460 x 400mm	black & walnut	30 kg	329€









Acrylic Platters



Acryl it is made from acrylic with satinised surface and brings a more liquid sound that leaves no space for platter resonances. Acryl it is able to improve overall performance significantly!

Acryl it Debut Line, 1Xpression 129€	Model	Suitable for	Price
	Acryl it E	Elemental, Essential III, Primary E, Juke Box E	129€
Acrvl it RPM 1 Carbon RPM 1 Carbon 249 €	Acryl it	Debut Line, 1Xpression	129€
	Acryl it RPM 1 Carbon	RPM 1 Carbon	249€
Acryl it RPM 3 Carbon RPM 3 Carbon 299 €	Acryl it RPM 3 Carbon	RPM 3 Carbon	299€



Clamp it







Aluminium Sub Platters



The diamond cut aluminium sub-platter can be machined to much improved and lower tolerances and will be a substantial upgrade to regular subplatters. It adds more mass to the entire platter and drive system, resulting in additional damping of noise and unwanted resonances. The improved tolerances during production will increase overall speed accuracy.

Model	Price
Debut Alu Sub Platter	149€
The Classic EVO Alu Sub Platter	149€
X1/X2 Alu Sub Platter	149€



Slip Mats



Model & material	
Felt Mat in different	С
Cork it	
Cork & Rubber it 1m	in
Cork & Rubber it 3m	in
Leather it	



Record Puck

Model Record Puck E Record Puck PRO Record Puck Record Puck Signatu



Record Puck E Black

Record Puck E

Silver

Record Puck PRO Nickel

Ground it



Acryl it is made from acrylic with satinised surface and brings a more liquid sound that leaves no space for platter resonances. Acryl it is able to improve overall performance significantly!

Model	Dimensions	Weight	Price
Ground it E	500 x 65 (45) x 400 mm incl spikes (without spikes)	11,6 kg	159€
Ground it deluxe 1	500 x 65 (45)x 400 mm incl spikes (without spikes)	11,6 kg	449€
Ground it deluxe 2	435 x 65 (45)x 340 mm incl. spikes (without spikes)	8,5 kg	399€
Ground it deluxe 3	500 x 65 (45) x 400 mm incl. feet (without feet)	13,5 kg	799€
Ground it Carbon	500 x 65 (45) x 400 mm incl spikes (without spikes)	14,5 kg	1.299€



• Sound improvement for all turntables • Reduces unwanted resonances while playback • Fast and easy mounting • Fine-adjustment of thightening force • Full metal accessory with leather coating • Diamond cut finish

99€



Soundtuning with turntable mat! Every material has its own character. Experiment and descide what you prefer!

	Price
olours	9,90€
	25€
n	49,90€
n	65€
	49€





Record pucks use weight to secure a record against the turntable. This improves the sound performance of the turntable in terms of timing and sound depth.

	Weight	Colour	Price
	190 gr	Silver or Black	29,90€
	190 gr	Nickel	49,90€
	800gr	Brass	89€
ire	400gr	Aluminium	129€



Record Puck Black



Record Puck Brass



Signature Puck Aluminium

Damp it		EVO 9"	Model	Features	Pric
			1. EVO 9 CC Black	Carbon tube & Alu bearing	599
	Special absorber feet for effective decoupling • Made from hightech TPE		2. EVO 9 CC HG	Carbon tube & Alu bearing Carbon tune & Alu nickel HG bearing block	799
	(thermoplastic elastomers) • Prevents transmission of mechanical vibration		3. EVO 9 AS HG	S-Shape tube & Alu bearing block in nickel finish - variable headshell	899
	Optimised to absorb frequencies from 20-500 Hz • Especially for bookshelf		4. EVO 9 AS Black	S-Shape tube & Alu bearing block in black finish - variable headshell	699
-	speakers, Disc players, turntables, tube amplifiers and more • Extremely cost-				000
	effective sound upgrade • Available single (bulk) or package containing 4 pieces				
		EVO 10"	Model	Features	Prie
	4 pieces / 25 €		1. EVO 10 CC Black	Carbon tube & Alu bearing block	650
			2. EVO 10 CC HG	Carbon tune & Alu nickel HG bearing block	850
			3. EVO 10 AS HG	S-Shape tube & Alu bearing block in nickel finish - variable headshell	95
			4. EVO 10 AS Black	S-Shape tube & Alu bearing block in black finish - variable headshell	75
gnature Headshells		EVO 12"	Model	Features	Pri
			1. EVO 12 CC Black	Carbon tube & Alu bearing block	65
	• Fite all tangarma with SME mounting atondard • 1/2 inch cartridge mount		2. EVO 12 CC HG	Carbon tune & Alu nickel HG bearing block	85
-	 Fits all tonearms with SME mounting standard 1/2 inch cartridge mount 3 different headshell materials: Alu, Carbon, Oak High conductivity OFC he- 		3. EVO 12 AS HG	S-Shape tube & Alu bearing block in nickel finish - variable headshell	95
	adshell cables included • High rigidity & low mass • Low resonance		4. EVO 12 AS Black	S-Shape tube & Alu bearing block in black finish - variable headshell	75
	construction • Non magnetic • Azimuth adjustment with screw on side				
at 1	• Built-in fingerlift	EVO 9" Premium	Model	Features	P
15 James	black: 69€	+ Silver inner cabeling	Model		
	DIACK: 09€				0
	wood: 129€		1. EVO 9 CC Premium Black	Carbon tube & stainless steel bearing block	
	wood: 129 € carbon: 149 €		2. EVO 9 CC Premium HG	Carbon tube & stainless steel silver HG polished bearing block	1.39
	wood: 129€		2. EVO 9 CC Premium HG 3. EVO 9 AS Premium HG	Carbon tube & stainless steel silver HG polished bearing block S-Shape tube & stainless steel silver HG polished-variable headshell	1.39 1.69
iah Power it	wood: 129 € carbon: 149 €		2. EVO 9 CC Premium HG	Carbon tube & stainless steel silver HG polished bearing block	89 1.39 1.69 ell 99
gh Power it	wood: 129 € carbon: 149 €	EVO 10" Premium	2. EVO 9 CC Premium HG 3. EVO 9 AS Premium HG	Carbon tube & stainless steel silver HG polished bearing block S-Shape tube & stainless steel silver HG polished-variable headshell	1.39 1.69
gh Power it	wood: 129 € carbon: 149 € aluminium: 169 €	EVO 10" Premium + Silver inner cabeling	 2. EVO 9 CC Premium HG 3. EVO 9 AS Premium HG 4. EVO 9 AS Premium Black 	Carbon tube & stainless steel silver HG polished bearing block S-Shape tube & stainless steel silver HG polished-variable headshell S-Shape tube & stainless steel bearing block in black finish-variable headshe	1.39 1.69 ell 99
gh Power it	wood: 129 € carbon: 149 € aluminium: 169 € • Proper grounding dramatically reduces grounding hum of "floating mass"	EVO 10" Premium + Silver inner cabeling	 2. EVO 9 CC Premium HG 3. EVO 9 AS Premium HG 4. EVO 9 AS Premium Black Model	Carbon tube & stainless steel silver HG polished bearing block S-Shape tube & stainless steel silver HG polished-variable headshell S-Shape tube & stainless steel bearing block in black finish-variable headshe Features	1.3 1.6 9 P 9
Jh Power it	 wood: 129 € carbon: 149 € aluminium: 169 € Proper grounding dramatically reduces grounding hum of "floating mass" systems/amplifiers • 3 pin DC power supply with ground connection • Delivers 	EVO 10" Premium + Silver inner cabeling	 2. EVO 9 CC Premium HG 3. EVO 9 AS Premium HG 4. EVO 9 AS Premium Black Model 1. EVO 10 CC Premium Black 	Carbon tube & stainless steel silver HG polished bearing block S-Shape tube & stainless steel silver HG polished-variable headshell S-Shape tube & stainless steel bearing block in black finish-variable headshe Features Carbon tube & stainless steel bearing block	1.3 1.6 911 9 1 9 1.4
gh Power it	 wood: 129 € carbon: 149 € aluminium: 169 € Proper grounding dramatically reduces grounding hum of "floating mass" systems/amplifiers • 3 pin DC power supply with ground connection • Delivers cleaner current and more power to all Pro-Ject turntables • Input: 100-240V AC, 1.0A, 50-60Hz • Output: +15V DC, 2.0A • Output power: 30W max. • Diameter DC 	EVO 10" Premium + Silver inner cabeling	 2. EVO 9 CC Premium HG 3. EVO 9 AS Premium HG 4. EVO 9 AS Premium Black Model 1. EVO 10 CC Premium Black 2. EVO 10 CC Premium HG 	Carbon tube & stainless steel silver HG polished bearing block S-Shape tube & stainless steel silver HG polished-variable headshell S-Shape tube & stainless steel bearing block in black finish-variable headshe Features Carbon tube & stainless steel bearing block Carbon tube & stainless steel silver HG polished bearing block	1.3 1.6 ell 9 F 9 1.4 1.7
gh Power it	 wood: 129 € carbon: 149 € aluminium: 169 € Proper grounding dramatically reduces grounding hum of "floating mass" systems/amplifiers • 3 pin DC power supply with ground connection • Delivers cleaner current and more power to all Pro-Ject turntables • Input: 100-240V AC, 	+ Silver inner cabeling EVO 12" Premium	 EVO 9 CC Premium HG EVO 9 AS Premium HG EVO 9 AS Premium Black EVO 10 CC Premium Black EVO 10 CC Premium HG EVO 10 AS Premium HG EVO 10 AS Premium Black 	Carbon tube & stainless steel silver HG polished bearing block S-Shape tube & stainless steel silver HG polished-variable headshell S-Shape tube & stainless steel bearing block in black finish-variable headshel Features Carbon tube & stainless steel bearing block Carbon tube & stainless steel silver HG polished bearing block S-Shape tube & stainless steel silver HG polished bearing block S-Shape tube & stainless steel silver HG polished - variable headshell	1.3 1.6 1.7 9 1.4 1.7 211 1.0
h Power it	 wood: 129 € carbon: 149 € aluminium: 169 € Proper grounding dramatically reduces grounding hum of "floating mass" systems/amplifiers • 3 pin DC power supply with ground connection • Delivers cleaner current and more power to all Pro-Ject turntables • Input: 100-240V AC, 1.0A, 50-60Hz • Output: +15V DC, 2.0A • Output power: 30W max. • Diameter DC plug: 2.1mm • Dimensions: 85 x 47 x 33 mm • Weight: 180 g (w/o power cord) 	+ Silver inner cabeling	 EVO 9 CC Premium HG EVO 9 AS Premium HG EVO 9 AS Premium Black EVO 10 CC Premium Black EVO 10 CC Premium HG EVO 10 AS Premium HG EVO 10 AS Premium Black 	Carbon tube & stainless steel silver HG polished bearing block S-Shape tube & stainless steel silver HG polished-variable headshell S-Shape tube & stainless steel bearing block in black finish-variable headshel Features Carbon tube & stainless steel bearing block Carbon tube & stainless steel silver HG polished bearing block S-Shape tube & stainless steel silver HG polished bearing block S-Shape tube & stainless steel bearing block in black finish-variable headshell S-Shape tube & stainless steel silver HG polished bearing block Features Features	1.3 1.6 9 9 1.4 1.7 1.7 5 8 1.7 5 6 1.7 5 6 7 7 7 8
h Power it	 wood: 129 € carbon: 149 € aluminium: 169 € Proper grounding dramatically reduces grounding hum of "floating mass" systems/amplifiers • 3 pin DC power supply with ground connection • Delivers cleaner current and more power to all Pro-Ject turntables • Input: 100-240V AC, 1.0A, 50-60Hz • Output: +15V DC, 2.0A • Output power: 30W max. • Diameter DC plug: 2.1mm • Dimensions: 85 x 47 x 33 mm • Weight: 180 g (w/o power cord) 	+ Silver inner cabeling EVO 12" Premium	 EVO 9 CC Premium HG EVO 9 AS Premium HG EVO 9 AS Premium Black EVO 10 CC Premium Black EVO 10 CC Premium HG EVO 10 AS Premium HG EVO 10 AS Premium Black Model EVO 10 AS Premium Black 	Carbon tube & stainless steel silver HG polished bearing block S-Shape tube & stainless steel silver HG polished-variable headshell S-Shape tube & stainless steel bearing block in black finish-variable headshe Features Carbon tube & stainless steel bearing block S-Shape tube & stainless steel silver HG polished bearing block S-Shape tube & stainless steel silver HG polished - variable headshell S-Shape tube & stainless steel bearing block in black finish - variable headshell Features Carbon tube & stainless steel silver HG polished bearing block S-Shape tube & stainless steel silver HG polished - variable headshell S-Shape tube & stainless steel bearing block in black finish - variable headshell Carbon tube & stainless steel bearing block in black finish - variable headshell S-Shape tube & stainless steel bearing block in black finish - variable headshell Carbon tube & stainless steel bearing block in black finish - variable headshell	1.3 1.6 9 9 1.4 1.7 1.7 2 1.7 2 1.7 2 1.7 2 1.7 2 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0
h Power it	 wood: 129 € carbon: 149 € aluminium: 169 € Proper grounding dramatically reduces grounding hum of "floating mass" systems/amplifiers • 3 pin DC power supply with ground connection • Delivers cleaner current and more power to all Pro-Ject turntables • Input: 100-240V AC, 1.0A, 50-60Hz • Output: +15V DC, 2.0A • Output power: 30W max. • Diameter DC plug: 2.1mm • Dimensions: 85 x 47 x 33 mm • Weight: 180 g (w/o power cord) 	+ Silver inner cabeling EVO 12" Premium	 EVO 9 CC Premium HG EVO 9 AS Premium HG EVO 9 AS Premium Black EVO 10 CC Premium Black EVO 10 CC Premium HG EVO 10 AS Premium HG EVO 10 AS Premium Black 	Carbon tube & stainless steel silver HG polished bearing block S-Shape tube & stainless steel silver HG polished-variable headshell S-Shape tube & stainless steel bearing block in black finish-variable headshe Features Carbon tube & stainless steel bearing block S-Shape tube & stainless steel silver HG polished bearing block S-Shape tube & stainless steel silver HG polished - variable headshell S-Shape tube & stainless steel bearing block in black finish-variable headshell S-Shape tube & stainless steel silver HG polished - variable headshell S-Shape tube & stainless steel bearing block in black finish-variable headshell S-Shape tube & stainless steel bearing block in black finish - variable headshell Carbon tube & stainless steel bearing block in black finish - variable headshell Carbon tube & stainless steel bearing block in black finish - variable headshell Carbon tube & stainless steel bearing block	1.3 1.6 9 9 1.4 1.7 1.7 9 9 9 1.4
h Power it	 wood: 129 € carbon: 149 € aluminium: 169 € Proper grounding dramatically reduces grounding hum of "floating mass" systems/amplifiers • 3 pin DC power supply with ground connection • Delivers cleaner current and more power to all Pro-Ject turntables • Input: 100-240V AC, 1.0A, 50-60Hz • Output: +15V DC, 2.0A • Output power: 30W max. • Diameter DC plug: 2.1mm • Dimensions: 85 x 47 x 33 mm • Weight: 180 g (w/o power cord) 	+ Silver inner cabeling EVO 12" Premium	 EVO 9 CC Premium HG EVO 9 AS Premium HG EVO 9 AS Premium Black EVO 10 CC Premium Black EVO 10 CC Premium HG EVO 10 AS Premium HG EVO 10 AS Premium Black Model EVO 10 AS Premium Black 	Carbon tube & stainless steel silver HG polished bearing block S-Shape tube & stainless steel silver HG polished-variable headshell S-Shape tube & stainless steel bearing block in black finish-variable headshe Features Carbon tube & stainless steel bearing block S-Shape tube & stainless steel silver HG polished bearing block S-Shape tube & stainless steel silver HG polished - variable headshell S-Shape tube & stainless steel bearing block in black finish - variable headshell Features Carbon tube & stainless steel silver HG polished bearing block S-Shape tube & stainless steel silver HG polished - variable headshell S-Shape tube & stainless steel bearing block in black finish - variable headshell Carbon tube & stainless steel bearing block in black finish - variable headshell S-Shape tube & stainless steel bearing block in black finish - variable headshell Carbon tube & stainless steel bearing block in black finish - variable headshell	1.3 1.6 1.6 9 1.4 1.7 1.7 1.7
h Power it	 wood: 129 € carbon: 149 € aluminium: 169 € Proper grounding dramatically reduces grounding hum of "floating mass" systems/amplifiers • 3 pin DC power supply with ground connection • Delivers cleaner current and more power to all Pro-Ject turntables • Input: 100-240V AC, 1.0A, 50-60Hz • Output: +15V DC, 2.0A • Output power: 30W max. • Diameter DC plug: 2.1mm • Dimensions: 85 x 47 x 33 mm • Weight: 180 g (w/o power cord) 	+ Silver inner cabeling EVO 12" Premium	 EVO 9 CC Premium HG EVO 9 AS Premium HG EVO 9 AS Premium Black EVO 10 CC Premium Black EVO 10 CC Premium HG EVO 10 AS Premium HG EVO 10 AS Premium Black 	Carbon tube & stainless steel silver HG polished bearing block S-Shape tube & stainless steel silver HG polished-variable headshell S-Shape tube & stainless steel bearing block in black finish-variable headshe Features Carbon tube & stainless steel bearing block S-Shape tube & stainless steel silver HG polished bearing block S-Shape tube & stainless steel silver HG polished - variable headshell S-Shape tube & stainless steel bearing block in black finish-variable headshell S-Shape tube & stainless steel silver HG polished - variable headshell S-Shape tube & stainless steel bearing block in black finish - variable headshell S-Shape tube & stainless steel bearing block in black finish - variable headshell S-Shape tube & stainless steel bearing block in black finish - variable headshell S-Shape tube & stainless steel silver HG polished bearing block Carbon tube & stainless steel silver HG polished bearing block S-Shape tube & stainless steel silver HG polished bearing block S-Shape tube & stainless steel silver HG polished bearing block	1.3 1.6 9 9 1.4 1.7 1.7 9 9 1.4 1.7 1.4 1.7 1
gh Power it	 wood: 129 € carbon: 149 € aluminium: 169 € Proper grounding dramatically reduces grounding hum of "floating mass" systems/amplifiers • 3 pin DC power supply with ground connection • Delivers cleaner current and more power to all Pro-Ject turntables • Input: 100-240V AC, 1.0A, 50-60Hz • Output: +15V DC, 2.0A • Output power: 30W max. • Diameter DC plug: 2.1mm • Dimensions: 85 x 47 x 33 mm • Weight: 180 g (w/o power cord) 	+ Silver inner cabeling EVO 12" Premium + Silver inner cabeling	 2. EVO 9 CC Premium HG 3. EVO 9 AS Premium HG 4. EVO 9 AS Premium Black 4. EVO 9 AS Premium Black 1. EVO 10 CC Premium Black 2. EVO 10 CC Premium HG 3. EVO 10 AS Premium HG 4. EVO 10 AS Premium Black Model 1. EVO 12 CC Premium Black 2. EVO 12 CC Premium HG 3. EVO 12 AS Premium HG 4. EVO 12 AS Premium HG 4. EVO 12 AS Premium Black 	Carbon tube & stainless steel silver HG polished bearing block S-Shape tube & stainless steel silver HG polished-variable headshell S-Shape tube & stainless steel bearing block in black finish-variable headshe Features Carbon tube & stainless steel silver HG polished bearing block S-Shape tube & stainless steel silver HG polished bearing block S-Shape tube & stainless steel silver HG polished - variable headshell S-Shape tube & stainless steel silver HG polished - variable headshell S-Shape tube & stainless steel silver HG polished - variable headshell S-Shape tube & stainless steel bearing block in black finish - variable headshel Features Carbon tube & stainless steel bearing block in black finish - variable headshel S-Shape tube & stainless steel silver HG polished bearing block S-Shape tube & stainless steel silver HG polished bearing block S-Shape tube & stainless steel bearing block in black finish - variable headshell S-Shape tube & stainless steel silver HG polished bearing block S-Shape tube & stainless steel silver HG polished bearing block S-Shape tube & stainless steel silver HG polished bearing block S-Shape tube & stainless steel silver HG polished bearing block S-Shape tube & stainless steel silver HG polished - variable headshell S-Shape tube & stainless steel silver HG polished - variable headshell	1.3 1.6 9 9 9 1.4 1.7 5 5 1.4 1.0 9 9 9 1.4 1.7 1 1.7 7 1 1.7 7 1 1.7 7 7 9 9 9 9 9 9 9 9 9 1.4 1.7 9 9 9 9 1.4 1.6 9 9 9 1.4 9 9 9 1.4 9 9 9 1.4 9 9 9 1.4 1.4 9 1.4 9 1.4 9 1.4 9 1.4 9 1.4 9 1.4 9 1.4 9 1.4 9 1.4 9 1.4 9 1.4 9 1.4 9 1.4 9 1.4 9 1.4 9 1.4 1.7 1.4 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7
gh Power it	 wood: 129 € carbon: 149 € aluminium: 169 € Proper grounding dramatically reduces grounding hum of "floating mass" systems/amplifiers • 3 pin DC power supply with ground connection • Delivers cleaner current and more power to all Pro-Ject turntables • Input: 100-240V AC, 1.0A, 50-60Hz • Output: +15V DC, 2.0A • Output power: 30W max. • Diameter DC plug: 2.1mm • Dimensions: 85 x 47 x 33 mm • Weight: 180 g (w/o power cord) 	+ Silver inner cabeling EVO 12" Premium + Silver inner cabeling	2. EVO 9 CC Premium HG 3. EVO 9 AS Premium HG 4. EVO 9 AS Premium Black Model 1. EVO 10 CC Premium Black 2. EVO 10 CC Premium HG 3. EVO 10 AS Premium HG 4. EVO 10 AS Premium Black Model 1. EVO 12 CC Premium Black 2. EVO 12 CC Premium HG 3. EVO 12 AS Premium HG 4. EVO 12 AS Premium HG 4. EVO 12 AS Premium Black	Carbon tube & stainless steel silver HG polished bearing block S-Shape tube & stainless steel silver HG polished-variable headshell S-Shape tube & stainless steel bearing block in black finish-variable headshel Features Carbon tube & stainless steel silver HG polished bearing block S-Shape tube & stainless steel silver HG polished - variable headshell S-Shape tube & stainless steel silver HG polished - variable headshell S-Shape tube & stainless steel bearing block in black finish - variable headshell S-Shape tube & stainless steel silver HG polished - variable headshell S-Shape tube & stainless steel bearing block in black finish - variable headshell S-Shape tube & stainless steel bearing block in black finish - variable headshell S-Shape tube & stainless steel silver HG polished bearing block Carbon tube & stainless steel silver HG polished bearing block S-Shape tube & stainless steel silver HG polished bearing block S-Shape tube & stainless steel silver HG polished bearing block S-Shape tube & stainless steel silver HG polished bearing block S-Shape tube & stainless steel silver HG polished bearing block S-Shape tube & stainless steel silver HG polished bearing block S-Shape tube & stainless steel silver HG polished - variable headshell S-Shape tube & stainless steel silver HG polished bearing block Features	1.33 1.63 1.63 9 9 9 9 9 1.44 1.74 9 9 9 9 9 9 9 9 9 1.45 1.45 1.45 1.75



TONEARMS





CARTRIDGES

Pick it 2M Silver



• Moving Magnet principle • Coil windings made from pure silver to achieve higher quality and more dynamic playback compared with conventional MM cartridges • Suitable for low to medium tonearm masses • 1/2 inch mounting standard • High trackability • 2M Silver should be connected to phono MM inputs • As with most MM cartridges, stylus may be exchanged

199€

Pick it 25A



Pick it S2 MM



• Moving Magnet principle • Coil windings made from pure silver to achieve higher quality and more dynamic playback compared with conventional MM cartridges • Suitable for low to medium tonearm masses • 1/2 inch mounting standard • High trackability • Pick it 25A should be connected to phono MM inputs • As with most MM cartridges, stylus can be exchanged

99€

 Moving Magnet principle • Split pole pins enables frequency responses that com pares very well to MC cartridges • Suitable for low to medium tonearm masses • 1/2 inch mounting standard • High trackability • Pick it S2 MM should be connected to phono MM inputs • As with most MM cartridges, stylus may be exchanged

119€

Pick it S2 C



126 Accessories / Cartridges

• Moving Magnet principle • Simple and fast setup • High output voltage Ideal for medium weight tonearms (15-20g) • Very dynamic • Suiteable for MM phono stages • Needle can be exchanged if needed • Robust Polycarbonate body

129€



Pick it PRO



body

119€

• Moving Magnet principle • Simple and fast setup • High output voltage Ideal for medium weight tonearms (15-20g) • Very dynamic • Suiteable for MM phono stages • Needle can be exchanged if needed • Robust Polycarbonate

We developed a completely new cable program coming 2023.

Connect it E Connect it S Connect it DS Connect it RS

Soon on: <u>www.project-audio.com/connect-it-cables</u>

> Coming Soon!







Beethoven's "Pastoral" & "Egmont"

39,90€

e-m BEETHOVEN

> W. A. Mozart No. 25, 35 & 39 39,90€



Hans Theessink

"70 Birthday Bash"

39,90€

"Slow Train" 25,99€



7RAY feat. Triple Ace Jazzy Zoetrope 39,90€



Test Record 39,90€

Ortofon



Richard Strauss "Also sprach Zarathustra"



Ginga Yes / No 22,99€



Hans Theessink





Gustav Mahler Symphony No2

39,90€



DELADAP ReJazzed 35€



Mistysa Macumba

15,90€







Pro-Ject Audio Systems a Division of Audio Tuning Vertriebs GmbH

Margaretenstraße 98 1050, Vienna, AUSTRIA

Headquarter & Logistics: Wirtschaftspark A5 Mistelbach/Wilfersdorf Analogweg 1, 2130 Mistelbach, AUSTRIA

E-Mail: info@project-audio.com Heinz Lichtenegger (CEO)

www.project-audio.com instagram.com/projectaudiosystems www.facebook.com/PJ.Audio.Systems

Lifestyle photography location Debut Carbon EVO: Hotel Altstadt Vienna. Technical data and prices without engagement.

Printed in Austria by Riedel druck.









Produced in Europe

www.project-audio.com