

Elvis Turntable

Limited Special Edition

MSRP 1.399 € (incl. VAT)

- Turntable to celebrate Elvis' 90th birthday
- Dimable LED Elvis logo inside the MDF plinth
- 9" highly precise and light aluminium tonearm
- Spring based anti-skating system
- Counterweight with nickel finish
- Larger chassis for higher stability
- Preadjusted Sumiko Rainier
- 10mm, 1,7kg zero-resonance glass platter
- Speed control with electronic speed switch
- One-piece tonearm with integrated headshell
- No hollow spaces for optimal sonic performance
- Vibration absorbing feet
- Semi-symmetrical phono cable with metal connectors
- Acrylic dustcover with adjustable hinges
- Handmade in Europe

Speed: 33,45 RPM (electronic speed change)

Principle: Belt drive

Speed variance: 33: 0,6% 45: 0,5%

Wow & Flutter: 33: 0,19% 45: 0,17%

Platter: 10mm thick, 1,7kg heavy glass platter with felt mat

Main bearing: Stainless steel/brass

Signal to noise: 67dB

Tonearm: 9" aluminium

Effective arm length: 230 mm

Overhang: 22.0 mm

Effective tonearm mass: 9.5 g

Included accessories: dustcover, feltmat, singles adapter, power supply, RCA cable

Power Supply: 15V / 800 mA DC, universal power supply


Power consumption: 4,5 W / 0 W in Stand-By

Dimensions: 465x135x347 mm (WxHxD) (closed dustcover)

Weight: 5,5 kg net



You light my morning sky, with burning love.

This special edition turntable to celebrate Elvis' 90th birthday is based on our acclaimed audiophile T2. The elegantly crafted **CNC-machined plinth** illuminates with LEDs the beautiful Elvis logo. The heavy 1,7 kg glass platter ensures a **zero-resonance design** that effectively eliminates the shortcomings associated with plastic or lightweight steel alternatives. Complementing these improvements, purpose-selected turntable feet **effectively isolate** the turntable from ambient vibrations present in the vicinity of your hi-fi system.



Speed Control, Motor and Drive

The motor drives a belt system, connected to our special ABS glass fiber composite sub-platter. This sub-platter is mounted on an **ultra-precise 0.001mm main bearing** with a **hardened steel axle and brass bushing**. Where most alternative products may use unregulated DC motors with wide speed fluctuations, the **T2 features our proven system of an electronically regulated, precision-speed AC motor**. The T2 also comes with **electronic speed switching** between 33 and 45 RPM. The result is a low-noise, stable drive system for the turntable.




The Tonearm

The Elvis Turntable features a straight **9" one-piece aluminium tonearm combined with a low-friction bearing** for absolute accuracy in use.

Besides the clean and stylish looks, the **integrated head-shell** won't cause any additional vibrations either, and is a **big improvement over other detachable, screwed-on or glued-on headshells!**

It also comes with our adjustable **spring-based anti-skating** mechanism that optimizes performance and extracts the utmost potential from your cartridge.




Adjustable spring-based anti-skating mechanism

Optimizes the performance and extracts the utmost potential from your cartridge.



Preadjusted Sumiko Rainier

True hi-fi playback MM cartridge with elliptical diamond stylus tip.



Included Accessories

A **super shielded, semi-symmetrical, low-capacitance phono cable, purpose-designed by Pro-Ject** – not off-the shelf RCA cable is included in the box.

An acrylic **dust cover** is included as well to keep your turntable dust free when not playing vinyls.

You will also find a felt mat in the box which is placed onto the platter to protect your records while playback.